Fax (802) 871-3318



DEPARTMENT OF DISABILITIES, AGING AND INDEPENDENT LIVING

Division of Licensing and Protection 103 South Main Street Waterbury VT 05671-2306 http://www.dail.vermont.gov Voice/TTY (802) 871-3317 To Report Adult Abuse: (800) 564-1612

February 16, 2016

Susan Spadaro, Manager Village At Cedar Hill, Inc 92 Cedar Hill Drive Windsor, VT 05089-4436

Dear Ms. Spadaro:

Thank you for the cooperation you gave our surveyor during the **February 2, 2016** annual survey of your facility.

Enclosed is the Survey Statement indicating that your facility is in substantial compliance with the current egulatory requirements. Congratulations to you and your staff.

If you have any questions regarding this report, please feel free to contact this office at (802) 871-3317.

Sincerely,

Pamela Cota, RN Licensing Chief

amlaM Coa AN

NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 92 CEDAR HILL DRIVE WINDSOR, VT 05899 ON 10 SUPPLIER STREET OF STATEMENT OF CREATERINGS ON 10 SUPPLIER STREET OF STATEMENT OF CREATERINGS ON 10 SUPPLIER STREET OF STATEMENT OF CREATERINGS	STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING: B. WING		(X3) DATE SURVEY COMPLETED 02/02/2016	
VILLAGE AT CEDAR HILL, INC 92 CEDAR HILL DRIVE WINDSOR, VT 05089 (X4) ID PREFIX (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) A 001 VI Initial Comments A 001 An unannounced onsite re-licensing survey was completed by the Division of Licensing and Protection from 2/1-2/2016. The facility was found in substantial regulatory compliance for an		1003				
PREFIX (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) A 001 VI Initial Comments A 001 An unannounced onsite re-licensing survey was completed by the Division of Licensing and Protection from 2/1-2/2016. The facility was found in substantial regulatory compliance for an		92 CED	AR HILL DRIVE	ATE, ZIP CODE		
An unannounced onsite re-licensing survey was completed by the Division of Licensing and Protection from 2/1-2/2016. The facility was found in substantial regulatory compliance for an	PREFIX (EACH DEFICIENT	CY MUST BE PRECEDED BY FULL	PREFIX	(EACH CORRECTIVE ACT CROSS-REFERENCED TO	TION SHOULD BE THE APPROPRIATE	COMPLETE
	An unannounced completed by the Protection from 2 in substantial regions	onsite re-licensing survey was Division of Licensing and /1-2/2016. The facility was foun ulatory compliance for an	:			

STATE FORM

6899

If continuation sheet 1 of 1